



Clamped Boss Load Ring - 3.0 kN

Code: 78-0160

Product Group: Digital Tritest 50 Load Frame, Proving Rings, Measurement of Load (Shear Stress), Clamped Boss Load Rings, Direct/Residual Shear Apparatus

Standards

BS 1377, ASTM D3080

Specification

Capacity: kN, kgf, lbf	3.0, 300, 650
Typical Design sensitivity: N/div, kgf/div, lbf/div	2.0, 0.20, 0.43
Overall height mm	248
Approx weight kg	3.3
Capacity - lbf	1,000
Capacity - kN	3
Capacity - kgf	300
Typical Design Sensitivity - lbf/div	0.43
Typical Design Sensitivity - kN/div	2
Typical Design Sensitivity - Kgf/div	0.2
Overall Height	9.76" (248 mm)
Approx Weight	7.3 lbs.(3.3 kg)

Accessories



50kN Clamped Boss Load Ring

Code: 78-0860



Clamped Boss Load Ring - 10.0 kN

Code: 78-0460



Clamped Boss Load Ring - 2.0 kN

Code: [78-0060](#)



Clamped Boss Load Ring - 28.0 kN

Code: [78-0760](#)



Clamped Boss Load Ring - 4.5 kN

Code: [78-0260](#)

Spares/Consumables



Spare Dial Indicator for Load Rings

Code: [78-5461](#)

Alternatives



50kN Clamped Boss Load Ring

Code: [78-0860](#)



Clamped Boss Load Ring - 10.0 kN

Code: [78-0460](#)



Clamped Boss Load Ring - 2.0 kN

Code: [78-0060](#)



Clamped Boss Load Ring - 28.0 kN

Code: [78-0760](#)



Clamped Boss Load Ring - 4.5 kN

Code: [78-0260](#)